





 <p>Beta 57A</p> 	 <p>Beta 58A</p> 	 <p>Beta 87</p> 	 <p>PG48</p> 	 <p>PG58</p> 
<p>USD:19.5</p>	<p>USD:19.5</p>	<p>USD:49</p>	<p>USD:10</p>	<p>USD:10</p>
 <p>SM57</p> 	 <p>SM58</p> 	 <p>SM58</p> 	 <p>SM58</p> 	 <p>SM58</p> 
<p>USD:13</p>	<p>USD:10</p>	<p>Boutique:25</p>	<p>switch:12</p>	<p>Boutique:25</p>
 <p>D660S</p> 	 <p>铁三角 xm5s</p>	 <p>M70S</p> 	 <p>M90S</p> 	 <p>M60S</p> 

USD:17	USD:15	USD:13	USD:14	USD:12
 e828 S	 e822II-S	 e845 S		
			SHURE PGDMK6 Dynamic Kit Drum Microphone System Include: 1 pcs PG52, 3 pcs PG56, 2 pcs PG81, 3 pcs A50D Drum stand and 1 pcs case	
USD:13	USD:13	USD:14	USD:229/kit	

 eW100	 eW122G2
EW100 USD:96	EW122G2 USD:138
 eW135G2	
EW135G2 USD:124	EW322G2 USD:152



W335G2 USD:145



EW352G2 USD:158



EM3032&KSM5000 USD: 252

eW545



EW545 G2 USD:210

MIPRO123D



MIPRO 123D USD:102

LX88- II



SHURE LX88 USD:63

SLX



SHURE-SLX SM58 USD:119

SLX



SHURE-SLX BETA 58 USD128

 <p>PGX4 (SM-58)</p>	 <p>PGX4 (BETA-58)</p>
<p>PGX24/SM58 USD:102</p>	<p>PGX24/BETA58 USD: 109</p>
	 <p>PGX4 (WL93)</p>
<p>PGX24 PG58 USD: 91</p>	<p>SHURE-PGX14 USD:109</p>
	
<p>EM3031&KSM5000 USD:176</p>	<p>audio-technica MX-351 USD: 145</p>
	
<p>CL-MX900 6 USD:198</p>	<p>ICON SCM-821 8 USD:215</p>



SHURE MX412D/C MX418D/C
USD:89



SHURE PG-88 USD: 155



ALLEN&HEATH GL2400 440 40 USD:1396



ALLEN&HEATH GL2400 432 32 USD:1110



ALLEN&HEATH GL2400 424 24 USD:898



ALLEN&HEATH GL2400 416 16 USD:698

Soundcraft M8 USD:325


Soundcraft M12 USD:349



Soundcraft EFX8 USD:225



Soundcraft EFX12 USD:248



Soundcraft MPM12/2 USD:295



Soundcraft EPM8 USD:170




Soundcraft EPM12 USD:218



Soundcraft MPM20/2 USD:338



YAMAHA MG124CX USD:209



YAMAHA MG16/6FX USD:209



YAMAHA MG166CX USD:259



YAMAHA MG82CX USD:125



YAMAHA MG166CX-USD USD: 265



YAMAHA MG166C USD:238



YAMAHA MG124C USD:196



YAMAHA MG102C USD:108



YAMAHA MG24/14FX USD:540



YAMAHA MG32/14FX USD:615



BEHRINGER XENYX 1204FX USD: 160



BEHRINGER XENYX 1622FX USD:205



BEHRINGER XENYX 1832FX USD:228



BEHRINGER XENYX 2222FX USD:249



BEHRINGER XENYX 2442FX USD:276



Soundcraft FX16 II USD:428



BEHRINGER XENYX 1222FX USD:215



(By Original Japanese Alps faders,
potentiometers. Connector Original
Performance PCB Design.USD:2268)



声艺 LX9 -16 **USD:675**

(By Original Japanese Alps faders, potentiometers. Connector Original Performance PCB Design.**USD:775**)



声艺 LX9/24. 强势推出. 更多好产品尽在新动力

LX9 -24 **USD:890**

(By Original Japanese Alps faders, potentiometers. Connector Original Performance PCB Design.**USD:1020**)



LX9 -32 **USD:1055**

(By Original Japanese Alps faders, potentiometers. Connector Original Performance PCB Design.**USD:1220**)



MFX8/2 **USD: 295**



MFX12/2 **USD:328**



MFX 20/2 **USD:410**



ASHLY USD:269



BBE 882i USD; 165



XTA GQ600 USD: 278



MARTIN-AUDIO M3 USD: 219



DBX 2231 USD: 148



DBX 1231 USD;110




DBX 231 USD:88




DOD 231 USD:85



DBX 215 USD:74



DBX 266XL USD:95



DBX 166XL USD:108



DBX 234 USD:74



DBX 223 USD:65



YAMAHA REV100 USD:86




T.C M350 USD:160



FBX2420 USD:215



YAMAHA Q2031B USD:188



BSS FCS966 USD:188



DBX PA USD:265



ASHLY USD:355



MA-1202 8 Ω 350W*2 USD:275



MA-1200 8 Ω 350W*2 USD:328



MA-2402 8 Ω 500W*2 USD:328



MA-2400 8 Ω 500W*2 USD:365



MA-3600 8 Ω 600W*2 USD:418



MA-5002VZ(3U) 8 Ω 800W*2 USD:458



CE2000 8 Ω 450W*2 USD:389



CE3000 8 Ω 650W*2 USD:418



XLS 202 200W USD: 265

XLS 402 300W USD: 284

XLS602 400W USD: 299

XLS 802 600W USD: 346

XLS 5000 1100W USD:658



LPS800 200W USD:170

LPS1500 350W USD:205

LPS2500 450W USD:245



CA12 850W USD:448



CA18 1150W USD:488



CA20 1350W USD; 568



CA9 580W USD: 379

CA6 450W USD: 330



CA-18 8 Ω 1200W*2 USD: 748



CA-12 8 Ω 800W*2 USD: 675



CA-9 8 Ω 520W*2 USD: 578



CA-6 8 Ω 400W*2 USD: 499



PEAVEY :PV-900 350W*2 USD: 235



PEAVEY :PV-1500 500W*2 USD: 258



PEAVEY :PV-2600 600W*2 USD: 308



PEAVEY :CS-1400 250W*2 USD: 198

PEAVEY :CS-2000 350W*2 USD: 232

PEAVEY:CS-3000 500W*2 USD: 258

PEAVEY:CS-4000 600W*2 USD; 295

	
QSC: RMX1450 350W*2 USD: 258	QSC: RMX1850HD 450W*2 USD: 295
	
QSC: RMX3050 600W*2 USD: 365	QSC: RMX4050 800W*2 USD: 398
	New, stable, high simulation. Large handle, aluminum angle code, patches, features, and Original as high strength. 3U steel chassis
QSC: RMX5050 1000W*2 USD: 468	
	
LAX MA5200 USD: 276	LAX MA7200 USD: 345
	
LAX MA8200 USD: 445	LAX MA9200 USD: 510
	
YAMAHA P2500S 8 Ω 250W*2 USD: 208	YAMAHA P3500S 8 Ω 350W*2 USD: 225
	
YAMAHA P5000S 8 Ω 500W*2 UAB; 268	YAMAHA P7000S 8 Ω 700W*2 USD: 308



YAMAHA XP2500S 8 Ω 250W*2
 USD;220



YAMAHA XP3500S 8 Ω 350W*2
 USD:240



YAMAHA XP5000S 8 Ω 500W*2
 USD; 280



YAMAHA XP7000S 8 Ω 700W*2 ~~700W~~
 USD:350



JBL
 Coolest and the best surface treatment
 Plywood with the best. Original JBL Anti-burning
 twin-tube 12" 2 Frequency 450W/8 Ω
 Full-frequency speakers
 High pitch: 44 芯 120 magnetic
 Bass: : 65 芯 170 magnetic Aluminum
 framer
 USD: 448/pair



JBL
 Coolest and the best surface treatment
 Plywood with the best. Original JBL Anti-burning
 twin-tube 15" 2 Frequency 800W/8 Ω
 Full-frequency speakers
 High pitch: 72 芯 180 magnetic
 Bass: : 100 芯 220 magnetic Aluminum
 framer
 USD;598/pair



JBL MRX525

JBL Coolest and the best surface treatment

Plywood with the best. Original JBL Anti-burning twin-tube
Double 15" 2 Frequency 1200W/4 Ω
Full-frequency speakers

High pitch: 72 芯 180 magnetic

Bass: : 100 芯 220 magnetic Aluminum
framer

USD:698/pair



JBL MRX518S

JBL Coolest and the best surface treatment

Plywood with the best. Original JBL Anti-burning
twin-tube 18" 1000W/8 Ω Ultra-low frequency
speaker

Bass: : 100 芯 220 magnetic Aluminum
framer

USD; 598/pair



JBL MRX528S

JBL Coolest and the best surface treatment

Plywood with the best. Original JBL Anti-burning twin-tube
Double 18" 1000W/4 Ω Ultra-low
frequency speaker

Bass: : 100 芯 220 magnetic Aluminum
framer

USD;888/pair



JBL SRX712M

JBL **Coollest and the best surface treatment**

Plywood with the best. Original JBL Anti-burning twin-tube 12" 2 Frequency 450W/8 Ω

Full-frequency speakers

High pitch: 44 芯 120 magnetic

Bass: : 75 芯 190 magnetic Aluminum framer

USD: 498/pair



JBL SRX715

JBL **Coollest and the best surface treatment**

Plywood with the best Original JBL Anti-burning twin-tube 15" 2 Frequency 800W/8 Ω

Full-frequency speakers

High pitch: 72 芯 180 magnetic

Bass: : 100 芯 220 magnetic Aluminum framer

USD: 618/pair



JBL SRX725

JBL **Coollest and the best surface treatment**

Plywood with the best. Original JBL Anti-burning twin-tube Double 15" 2 Frequency 1100W/4 Ω

Full-frequency speakers

High pitch: 72 芯 180 magnetic


Bass: : 100 芯 220 magnetic Aluminum framer

USD: 738/pair



JBL SRX718

JBL
Coolest and the best surface treatment
 Plywood with the best. Original JBL Anti-burning twin-tube 18" 800W/8 Ω Ultra-low frequency speaker
 Bass: : 100 芯 220 magnetic Aluminum framer
 USD: 668/pair



JBL SRX728

JBL
Coolest and the best surface treatment
 Plywood with the best. Original JBL Anti-burning twin-tube Double 18" 1600W/4 Ω Ultra-low frequency speaker
 Bass: : 100 芯 220 magnetic Aluminum framer
 USD: 1038/pair



JBL JRX112

JBL
 Production of high-density compression plate.. Original JBL twin-tube protection against burning Bass: 50 芯 140 magnetic, Mid High pitch 34 芯 100 magnetic. 12" 2 Frequency 250W8 Ω Speakers
 Bass: 50 芯 φ 140 magnetic, High pitch φ 34 芯 100 magnetic
 USD; 298/pair



JBL JRX115



Production of high-density compression plate.. Original JBL Anti-burning twin-tube Bass: 65 芯 170 magnetic, Mid High pitch44 芯 120 magnetic15” 2 Frequency 500W8 Ω

Full-frequency speakers

USD: 338/pair



JBL JRX125



Production of high-density compression plate.. Original JBL twin-tube protection against burning Bass: 65 芯 170 magnetic, Mid High pitch44 芯 120 magnetic Double

15” 2 Frequency 700W4 Ω Full-frequency speakers

USD: 498/pair



JBL JRX118



Production of high-density compression plate.Original JBL twin-tube protection against burning Bass: 100 芯 220 magnetic18” 700W8 Ω Ultra-low frequency

speaker

USD: 498/pair



JBL MDD212



Production of high-density compression plate. Original JBL twin-tube protection against burning Bass: 50 芯 140 magnetic,中 High pitch34 芯 100 magnetic12” 250W8

Ω 返送音箱

USD: 338/pair



JBL MDD215



Production of high-density compression plate. Original JBL twin-tube protection against burning Bass: 65 芯 170 magnetic, Mid High pitch 44 芯 120 magnetic

15" 500W8 Ω Full-frequency speakers

USD: 388/pair



JBL MDD225



Production of high-density compression plate. Original JBL twin-tube protection against burning Bass: 65 芯 170 magnetic, Mid High pitch 44 芯 120 magnetic Double

15" 800W4 Ω Full-frequency speakers

USD: 528/pair



JBL MDD218



Production of high-density compression plate. Original JBL twin-tube protection against burning Bass: 1000 芯 220 magnetic, 18" 700W8 Ω Ultra-low frequency speaker

USD: 595/pair



YAMAHA A10



Production of high-density compression plate. Two Bass: reflective

Bass: 40 芯 φ 126 magnetic, High pitch φ 25

芯 80 magnetic power: PGM Rated: 250W

Nominal Impedance: 8Ω

USD: 182/pair



YAMAHA A12



Production of high-density compression plate. Two Bass: reflective

Bass: 50 芯 ϕ 140 magnetic, High pitch ϕ 35 芯 80 magnetic power: PGM Rated: 350W
Nominal Impedance: 8 Ω

USD: 238/pair



YAMAHA A15



Production of high-density compression plate. Two Bass: reflective

Bass: 65 芯 ϕ 156 magnetic, High pitch ϕ 35 芯 100 magnetic power: PGM Rated: 500W
Nominal Impedance: 8 Ω

USD: 299/pair



YAMAHA S-112V



Production of high-density compression plate. Two Bass: reflective

Bass: 50 芯 ϕ 140 magnetic, High pitch ϕ 35 芯 100 magnetic power: PGM Rated: 400W
Nominal Impedance: 8 Ω

USD: 283/pair



YAMAHA S-115V



Production of high-density compression plate. Two Bass: reflective

power : PGM Rated : 500W Nominal Impedance: 8 Ω
Bass: : 75 芯 ϕ 190 magnetic, High pitch ϕ 44 芯 120 magnetic

USD: 389/pair



YAMAHA S-215V



Production of high-density compression plate. Two Bass: reflective

power : PGM Rated : 800W Nominal

Impedance: 4Ω

Bass: : 75 芯 φ 190 magnetic, High pitch φ 44 芯 120 magnetic

USD: 529/pair



YAMAHA R112C



Production of high-density compression plate. Two Bass: reflective

Bass: 50 芯 φ 140 magnetic, High pitch φ 35 芯 100 magnetic power: PGM Rated: 400W

Nominal Impedance: 8Ω

USD: 342/pair



YAMAHA R115C



Production of high-density compression plate. Two Bass: reflective

Bass: 75 芯 φ 190 magnetic, High pitch φ 44 芯 120 magnetic power: PGM Rated: 500W

Nominal Impedance: 8Ω

USD:395/pair



YAMAHA R215C



Production of high-density compression plate. Two Bass: reflective

Bass: 75 芯 φ 190 magnetic, High pitch φ 44 芯 120 magnetic power: PGM Rated: 1000W

Nominal Impedance: 4Ω

USD:528/pair



YAMAHA R118WC



Production of high-density compression plate. Two Bass: reflective

Bass: 100 芯 ϕ 220 magnetic, power: PGM

Rated: 1000W Nominal Impedance: 8Ω

USD:528/pair



YAMAHA C112V



Production of high-density compression plate. Two Bass: reflective

Bass: 75 芯 ϕ 190 magnetic, High pitch ϕ 44

芯 120 magnetic power: PGM Rated: 450W

Nominal Impedance: 8Ω

Coollest and the best surface treatment

USD:394/pair



YAMAHA C115V



Production of high-density compression plate. Two Bass: reflective

Bass: 75 芯 ϕ 190 magnetic, High pitch ϕ 44

芯 140 magnetic power: PGM Rated: 500W

Nominal Impedance: 8Ω

Coollest and the best surface treatment

USD:498/pair



YAMAHA C215V



Production of high-density compression plate. Two Bass: reflective

Bass: 75 芯 ϕ 190 magnetic, High pitch ϕ 72 芯 180 magnetic power: PGM Rated: 1000W

Nominal Impedance: 4 Ω

Coollest and the best surface treatment

USD:798/pair



YAMAHA CM12V



Production of high-density compression plate. Two Bass: reflective

Bass: 75 芯 ϕ 190 magnetic, High pitch ϕ 44 芯 120 magnetic power: PGM Rated: 450W

Nominal Impedance: 8 Ω

Coollest and the best surface treatment

USD:362/pair



YAMAHA CM15V



Production of high-density compression plate. Two Bass: reflective

Bass: 75 芯 ϕ 190 magnetic, High pitch ϕ 44 芯 120 magnetic power: PGM Rated: 500W

Nominal Impedance: 8 Ω

Coollest and the best surface treatment

USD:469/pair



YAMAHA CW118V



Production of high-density compression plate. Two Bass: reflective

Bass: 100 芯 ϕ 220 magnetic power: PGM

Rated: 600W Nominal Impedance: 8 Ω

Coolest and the best surface treatment

USD:575/pair



PEAVEY SP2



Plywood with the best. Single 15 Professional full-frequency speakers

power : PGM Rated : 500W Nominal

Impedance: 8 Ω

USD:599/pair



PEAVEY SP4



Plywood with the best Double 15 Professional full-frequency speakers

power : PGM Rated : 1000W Nominal

Impedance: 4 Ω

USD:849/pair



PEAVEY SP118



Plywood with the best 单 15 Professional full-frequency speakers

power : PGM Rated : 500W Nominal

Impedance: 8Ω

USD:869/pair



PEAVEY SP218



Plywood with the best Double 15 Professional full-frequency speakers

power : PGM Rated : 1200W Nominal

Impedance: 4Ω

USD:1269/pair



BMB sc450



Production of high-density compression plate. 10inch Double High pitch 卡包箱

power : PGM Rated : 180W Nominal

Impedance: 8Ω

USD:112 /pair



BMB sc455



Production of high-density compression plate. 10inch Double High pitch 卡包箱

power : PGM Rated : 180W Nominal

Impedance: 8Ω

USD:123/pair



BMB 800



Production of high-density compression plate. 10inch Double High pitch 卡包箱

power : PGM Rated : 180W Nominal

Impedance: 8Ω

USD:145/pair



BMB 850



Production of high-density compression plate. 10inch 四
High pitch 卡包箱

power : PGM Rated : 180W Nominal
Impedance: 8Ω

USD: 128 /pair



YAMAHA KS-25



Production of high-density compression plate. 10inch
Double High pitch 卡包箱

power : PGM Rated : 180W Nominal
Impedance: 8Ω

USD: 128/pair



JBL KHM-10



Production of high-density compression plate. 10inch
Double High pitch 卡包箱

power : PGM Rated : 180W Nominal
Impedance: 8Ω

USD: 165/pair



JBL RM-10



Production of high-density compression plate. 10inch
Double High pitch 卡包箱

power : PGM Rated : 180W Nominal
Impedance: 8Ω

USD;199/pair

301

五

代

BOSE 301 Fifth



Production of high-density compression plate. 10inch
Double High pitch 卡包箱

power : PGM Rated : 180W Nominal
Impedance: 8Ω

USD;199/pair



301 四代

BOSE 301 Fourth

Production of high-density compression plate. 10inch Double High pitch 卡包箱

power : PGM Rated : 180W Nominal

Impedance: 8Ω

USD:162/pair



402 A

BOSE 402 A

USD;305/pair



502 A

BOSE 502 A

USD:325/pair




JBL Professional conference speakers, outdoor speaker broadcasting **Control25**

Power: 75W

It's Èr half frequency, from a 5.25-inch woofer and a scattering angle with 3/4 inch tweeter composition

USD: 269/pair



JBL Professional conference speakers, outdoor speaker
broadcasting **Control28**

Power: 85W

It's Èr half frequency, from a 8-inch woofer and a scattering angle with 3/4 inch tweeter composition

USD: 322/pair